


Provided for your convenience by



**O-RING SIZE GUIDE
AS568 DASH NOS.**

1-800-852-2056 • www.AllstateGasket.com

Allstate Gasket & Packing, Inc • 31 Prospect Place • Deer Park, New York 11729-3713 USA



Inside Diameter (ID)



Outside Diameter (OD)



Width



FRACTIONAL and DECIMAL INCH and MILLIMETER O-RING LOOKUP by AS568 DASH NUMBERS

AS568 Dash No.	INCHES / Fractions			INCHES / Decimal			Actual ID (in)	Actual Width (in)	Millimeters (mm)			Actual ID (mm)	Actual Width (mm)
	Inch ID	Inch OD	Width	Inch ID	Inch OD	Width			mm ID	mm OD	Width		
-001	1/32	3/32	1/32	0.03	0.09	0.03	.029±.004	.040±.003	0.79	2.38	0.79	0.74±0.10	1.02±0.08
-002	3/64	9/64	3/64	0.05	0.14	0.05	.042±.004	.050±.003	1.19	3.57	1.19	1.07±0.10	1.27±0.08
-003	1/16	3/16	1/16	0.06	0.19	0.06	.056±.004	.060±.003	1.59	4.76	1.59	1.42±0.10	1.52±0.08
-004	5/64	13/64	1/16	0.08	0.20	0.06	.070±.005	.070±.003	1.98	5.16	1.59	1.78±0.13	1.78±0.08
-005	3/32	7/32	1/16	0.09	0.22	0.06	.101±.005	.070±.003	2.38	5.56	1.59	2.57±0.13	1.78±0.08
-006	1/8	1/4	1/16	0.13	0.25	0.06	.114±.005	.070±.003	3.18	6.35	1.59	2.90±0.13	1.78±0.08
-007	5/32	9/32	1/16	0.16	0.28	0.06	.145±.005	.070±.003	3.97	7.14	1.59	3.68±0.13	1.78±0.08
-008	3/16	5/16	1/16	0.19	0.31	0.06	.176±.005	.070±.003	4.76	7.94	1.59	4.47±0.13	1.78±0.08
-009	7/32	11/32	1/16	0.22	0.34	0.06	.208±.005	.070±.003	5.56	8.73	1.59	5.28±0.13	1.78±0.08
-010	1/4	3/8	1/16	0.25	0.38	0.06	.239±.005	.070±.003	6.35	9.53	1.59	6.07±0.13	1.78±0.08
-011	5/16	7/16	1/16	0.31	0.44	0.06	.301±.005	.070±.003	7.94	11.11	1.59	7.65±0.13	1.78±0.08
-012	3/8	1/2	1/16	0.38	0.50	0.06	.364±.005	.070±.003	9.53	12.70	1.59	9.25±0.13	1.78±0.08
-013	7/16	9/16	1/16	0.44	0.56	0.06	.426±.005	.070±.003	11.11	14.29	1.59	10.82±0.13	1.78±0.08
-014	1/2	5/8	1/16	0.50	0.63	0.06	.489±.005	.070±.003	12.70	15.88	1.59	12.42±0.13	1.78±0.08
-015	9/16	11/16	1/16	0.56	0.69	0.06	.551±.007	.070±.003	14.29	17.46	1.59	14.00±0.18	1.78±0.08
-016	5/8	3/4	1/16	0.63	0.75	0.06	.614±.009	.070±.003	15.88	19.05	1.59	15.60±0.23	1.78±0.08
-017	11/16	13/16	1/16	0.69	0.81	0.06	.676±.009	.070±.003	17.46	20.64	1.59	17.17±0.23	1.78±0.08
-018	3/4	7/8	1/16	0.75	0.88	0.06	.739±.009	.070±.003	19.05	22.23	1.59	18.77±0.23	1.78±0.08
-019	13/16	15/16	1/16	0.81	0.94	0.06	.801±.009	.070±.003	20.64	23.81	1.59	20.35±0.23	1.78±0.08
-020	7/8	1	1/16	0.88	1.00	0.06	.864±.009	.070±.003	22.23	25.40	1.59	21.95±0.23	1.78±0.08
-021	15/16	1-1/16	1/16	0.94	1.06	0.06	.926±.009	.070±.003	23.81	26.99	1.59	23.52±0.23	1.78±0.08
-022	1	1-1/8	1/16	1.00	1.13	0.06	.989±.010	.070±.003	25.40	28.58	1.59	25.12±0.25	1.78±0.08
-023	1-1/16	1-3/16	1/16	1.06	1.19	0.06	1.051±.010	.070±.003	26.99	30.16	1.59	26.70±0.25	1.78±0.08
-024	1-1/8	1-1/4	1/16	1.13	1.25	0.06	1.114±.010	.070±.003	28.58	31.75	1.59	28.30±0.25	1.78±0.08
-025	1-3/16	1-5/16	1/16	1.19	1.31	0.06	1.176±.011	.070±.003	30.16	33.34	1.59	29.87±0.28	1.78±0.08
-026	1-1/4	1-3/8	1/16	1.25	1.38	0.06	1.239±.011	.070±.003	31.75	34.93	1.59	31.47±0.28	1.78±0.08
-027	1-5/16	1-7/16	1/16	1.31	1.44	0.06	1.301±.011	.070±.003	33.34	36.51	1.59	33.05±0.28	1.78±0.08
-028	1-3/8	1-1/2	1/16	1.38	1.50	0.06	1.364±.013	.070±.003	34.93	38.10	1.59	34.65±0.33	1.78±0.08
-029	1-1/2	1-5/8	1/16	1.50	1.63	0.06	1.489±.013	.070±.003	38.10	41.28	1.59	37.82±0.33	1.78±0.08
-030	1-5/8	1-3/4	1/16	1.63	1.75	0.06	1.614±.013	.070±.003	41.28	44.45	1.59	41.00±0.33	1.78±0.08



Available in pdf format at www.AllstateGasket.com DISTRIBUTE FREELY!

Always perform your own tests to obtain safety and performance data. While every effort has been made to assure accuracy, Allstate Gasket assumes no responsibility for errors or omissions.



Inside Diameter (ID)



Outside Diameter (OD)



Width



FRACTIONAL and DECIMAL INCH and MILLIMETER O-RING LOOKUP by AS568 DASH NUMBERS

AS568 Dash No.	INCHES / Fractions			INCHES / Decimal			Actual ID (in)	Actual Width (in)	Millimeters (mm)			Actual ID (mm)	Actual Width (mm)
	Inch ID	Inch OD	Width	Inch ID	Inch OD	Width			mm ID	mm OD	Width		
-031	1-3/4	1-7/8	1/16	1.75	1.88	0.06	1.739±.015	.070±.003	44.45	47.63	1.59	44.17±0.38	1.78±0.08
-032	1-7/8	2	1/16	1.88	2.00	0.06	1.864±.015	.070±.003	47.63	50.80	1.59	47.35±0.38	1.78±0.08
-033	2	2-1/8	1/16	2.00	2.13	0.06	1.989±.018	.070±.003	50.80	53.98	1.59	50.52±0.46	1.78±0.08
-034	2-1/8	2-1/4	1/16	2.13	2.25	0.06	2.114±.018	.070±.003	53.98	57.15	1.59	53.70±0.46	1.78±0.08
-035	2-1/4	2-3/8	1/16	2.25	2.38	0.06	2.239±.018	.070±.003	57.15	60.33	1.59	56.87±0.46	1.78±0.08
-036	2-3/8	2-1/2	1/16	2.38	2.50	0.06	2.364±.018	.070±.003	60.33	63.50	1.59	60.05±0.46	1.78±0.08
-037	2-1/2	2-5/8	1/16	2.50	2.63	0.06	2.489±.018	.070±.003	63.50	66.68	1.59	63.22±0.46	1.78±0.08
-038	2-5/8	2-3/4	1/16	2.63	2.75	0.06	2.614±.020	.070±.003	66.68	69.85	1.59	66.40±0.51	1.78±0.08
-039	2-3/4	2-7/8	1/16	2.75	2.88	0.06	2.739±.020	.070±.003	69.85	73.03	1.59	69.57±0.51	1.78±0.08
-040	2-7/8	3	1/16	2.88	3.00	0.06	2.864±.020	.070±.003	73.03	76.20	1.59	72.75±0.51	1.78±0.08
-041	3	3-1/8	1/16	3.00	3.13	0.06	2.989±.024	.070±.003	76.20	79.38	1.59	75.92±0.61	1.78±0.08
-042	3-1/4	3-3/8	1/16	3.25	3.38	0.06	3.239±.024	.070±.003	82.55	85.73	1.59	82.27±0.61	1.78±0.08
-043	3-1/2	3-5/8	1/16	3.50	3.63	0.06	3.489±.024	.070±.003	88.90	92.08	1.59	88.62±0.61	1.78±0.08
-044	3-3/4	3-7/8	1/16	3.75	3.88	0.06	3.739±.027	.070±.003	95.25	98.43	1.59	94.97±0.69	1.78±0.08
-045	4	4-1/8	1/16	4.00	4.13	0.06	3.989±.027	.070±.003	101.60	104.78	1.59	101.32±0.69	1.78±0.08
-046	4-1/4	4-3/8	1/16	4.25	4.38	0.06	4.239±.030	.070±.003	107.95	111.13	1.59	107.67±0.76	1.78±0.08
-047	4-1/2	4-5/8	1/16	4.50	4.63	0.06	4.489±.030	.070±.003	114.30	117.48	1.59	114.02±0.76	1.78±0.08
-048	4-3/4	4-7/8	1/16	4.75	4.88	0.06	4.739±.030	.070±.003	120.65	123.83	1.59	120.37±0.76	1.78±0.08
-049	5	5-1/8	1/16	5.00	5.13	0.06	4.989±.037	.070±.003	127.00	130.18	1.59	126.72±0.94	1.78±0.08
-050	5-1/4	5-3/8	1/16	5.25	5.38	0.06	5.239±.037	.070±.003	133.35	136.53	1.59	133.07±0.94	1.78±0.08
-102	1/16	1/4	3/32	0.06	0.25	0.09	.049±.005	.103±.003	1.59	6.35	2.38	1.24±0.13	2.62±0.08
-103	3/32	9/32	3/32	0.09	0.28	0.09	.081±.005	.103±.003	2.38	7.14	2.38	2.06±0.13	2.62±0.08
-104	1/8	5/16	3/32	0.13	0.31	0.09	.112±.005	.103±.003	3.18	7.94	2.38	2.84±0.13	2.62±0.08
-105	5/32	11/32	3/32	0.16	0.34	0.09	.143±.005	.103±.003	3.97	8.73	2.38	3.63±0.13	2.62±0.08
-106	3/16	3/8	3/32	0.19	0.38	0.09	.174±.005	.103±.003	4.76	9.53	2.38	4.42±0.13	2.62±0.08
-107	7/32	13/32	3/32	0.22	0.41	0.09	.206±.005	.103±.003	5.56	10.32	2.38	5.23±0.13	2.62±0.08
-108	1/4	7/16	3/32	0.25	0.44	0.09	.237±.005	.103±.003	6.35	11.11	2.38	6.02±0.13	2.62±0.08
-109	5/16	1/2	3/32	0.31	0.50	0.09	.299±.005	.103±.003	7.94	12.70	2.38	7.59±0.13	2.62±0.08
-110	3/8	9/16	3/32	0.38	0.56	0.09	.362±.005	.103±.003	9.53	14.29	2.38	9.19±0.13	2.62±0.08
-111	7/16	5/8	3/32	0.44	0.63	0.09	.424±.005	.103±.003	11.11	15.88	2.38	10.77±0.13	2.62±0.08

Available in pdf format at www.AllstateGasket.com DISTRIBUTE FREELY!

Page 2 of 12

Always perform your own tests to obtain safety and performance data. While every effort has been made to assure accuracy, Allstate Gasket assumes no responsibility for errors or omissions.



Inside Diameter (ID)



Outside Diameter (OD)



Width



FRACTIONAL and DECIMAL INCH and MILLIMETER O-RING LOOKUP by AS568 DASH NUMBERS

AS568 Dash No.	INCHES / Fractions			INCHES / Decimal			Actual ID (in)	Actual Width (in)	Millimeters (mm)			Actual ID (mm)	Actual Width (mm)
	Inch ID	Inch OD	Width	Inch ID	Inch OD	Width			mm ID	mm OD	Width		
-112	1/2	11/16	3/32	0.50	0.69	0.09	.487±.005	.103±.003	12.70	17.46	2.38	12.37±0.13	2.62±0.08
-113	9/16	3/4	3/32	0.56	0.75	0.09	.549±.007	.103±.003	14.29	19.05	2.38	13.94±0.18	2.62±0.08
-114	5/8	13/16	3/32	0.63	0.81	0.09	.612±.009	.103±.003	15.88	20.64	2.38	15.54±0.23	2.62±0.08
-115	11/16	7/8	3/32	0.69	0.88	0.09	.674±.009	.103±.003	17.46	22.23	2.38	17.12±0.23	2.62±0.08
-116	3/4	15/16	3/32	0.75	0.94	0.09	.737±.009	.103±.003	19.05	23.81	2.38	18.72±0.23	2.62±0.08
-117	13/16	1	3/32	0.81	1.00	0.09	.799±.010	.103±.003	20.64	25.40	2.38	20.30±0.25	2.62±0.08
-118	7/8	1-1/16	3/32	0.88	1.06	0.09	.862±.010	.103±.003	22.23	26.99	2.38	21.89±0.25	2.62±0.08
-119	15/16	1-1/8	3/32	0.94	1.13	0.09	.924±.010	.103±.003	23.81	28.58	2.38	23.47±0.25	2.62±0.08
-120	1	1-3/16	3/32	1.00	1.19	0.09	.987±.010	.103±.003	25.40	30.16	2.38	25.07±0.25	2.62±0.08
-121	1-1/16	1-1/4	3/32	1.06	1.25	0.09	1.049±.010	.103±.003	26.99	31.75	2.38	26.64±0.25	2.62±0.08
-122	1-1/8	1-5/16	3/32	1.13	1.31	0.09	1.112±.010	.103±.003	28.58	33.34	2.38	28.24±0.25	2.62±0.08
-123	1-3/16	1-3/8	3/32	1.19	1.38	0.09	1.174±.012	.103±.003	30.16	34.93	2.38	29.82±0.30	2.62±0.08
-124	1-1/4	1-7/16	3/32	1.25	1.44	0.09	1.237±.012	.103±.003	31.75	36.51	2.38	31.42±0.30	2.62±0.08
-125	1-5/16	1-1/2	3/32	1.31	1.50	0.09	1.299±.012	.103±.003	33.34	38.10	2.38	32.99±0.30	2.62±0.08
-126	1-3/8	1-9/16	3/32	1.38	1.56	0.09	1.362±.012	.103±.003	34.93	39.69	2.38	34.59±0.30	2.62±0.08
-127	1-7/16	1-5/8	3/32	1.44	1.63	0.09	1.424±.012	.103±.003	36.51	41.28	2.38	36.17±0.30	2.62±0.08
-128	1-1/2	1-11/16	3/32	1.50	1.69	0.09	1.487±.012	.103±.003	38.10	42.86	2.38	37.77±0.30	2.62±0.08
-129	1-9/16	1-3/4	3/32	1.56	1.75	0.09	1.549±.015	.103±.003	39.69	44.45	2.38	39.34±0.38	2.62±0.08
-130	1-5/8	1-13/16	3/32	1.63	1.81	0.09	1.612±.015	.103±.003	41.28	46.04	2.38	40.94±0.38	2.62±0.08
-131	1-11/16	1-7/8	3/32	1.69	1.88	0.09	1.674±.015	.103±.003	42.86	47.63	2.38	42.52±0.38	2.62±0.08
-132	1-3/4	1-15/16	3/32	1.75	1.94	0.09	1.737±.015	.103±.003	44.45	49.21	2.38	44.12±0.38	2.62±0.08
-133	1-13/16	2	3/32	1.81	2.00	0.09	1.799±.015	.103±.003	46.04	50.80	2.38	45.69±0.38	2.62±0.08
-134	1-7/8	2-1/16	3/32	1.88	2.06	0.09	1.862±.015	.103±.003	47.63	52.39	2.38	47.29±0.38	2.62±0.08
-135	1-15/16	2-1/8	3/32	1.94	2.13	0.09	1.925±.017	.103±.003	49.21	53.98	2.38	48.90±0.43	2.62±0.08
-136	2	2-3/16	3/32	2.00	2.19	0.09	1.987±.017	.103±.003	50.80	55.56	2.38	50.47±0.43	2.62±0.08
-137	2-1/16	2-1/4	3/32	2.06	2.25	0.09	2.050±.017	.103±.003	52.39	57.15	2.38	52.07±0.43	2.62±0.08
-138	2-1/8	2-5/16	3/32	2.13	2.31	0.09	2.112±.017	.103±.003	53.98	58.74	2.38	53.64±0.43	2.62±0.08
-139	2-3/16	2-3/8	3/32	2.19	2.38	0.09	2.175±.017	.103±.003	55.56	60.33	2.38	55.25±0.43	2.62±0.08
-140	2-1/4	2-7/16	3/32	2.25	2.44	0.09	2.237±.017	.103±.003	57.15	61.91	2.38	56.82±0.43	2.62±0.08
-141	2-5/16	2-1/2	3/32	2.31	2.50	0.09	2.300±.020	.103±.003	58.74	63.50	2.38	58.42±0.51	2.62±0.08

Available in pdf format at www.AllstateGasket.com DISTRIBUTE FREELY!

Page 3 of 12

Always perform your own tests to obtain safety and performance data. While every effort has been made to assure accuracy, Allstate Gasket assumes no responsibility for errors or omissions.



Inside Diameter (ID)



Outside Diameter (OD)



Width



FRACTIONAL and DECIMAL INCH and MILLIMETER O-RING LOOKUP by AS568 DASH NUMBERS

AS568 Dash No.	INCHES / Fractions			INCHES / Decimal			Actual ID (in)	Actual Width (in)	Millimeters (mm)			Actual ID (mm)	Actual Width (mm)
	Inch ID	Inch OD	Width	Inch ID	Inch OD	Width			mm ID	mm OD	Width		
-142	2-3/8	2-9/16	3/32	2.38	2.56	0.09	2.362±.020	.103±.003	60.33	65.09	2.38	59.99±0.51	2.62±0.08
-143	2-7/16	2-5/8	3/32	2.44	2.63	0.09	2.425±.020	.103±.003	61.91	66.68	2.38	61.60±0.51	2.62±0.08
-144	2-1/2	2-11/16	3/32	2.50	2.69	0.09	2.487±.020	.103±.003	63.50	68.26	2.38	63.17±0.51	2.62±0.08
-145	2-9/16	2-3/4	3/32	2.56	2.75	0.09	2.550±.020	.103±.003	65.09	69.85	2.38	64.77±0.51	2.62±0.08
-146	2-5/8	2-13/16	3/32	2.63	2.81	0.09	2.612±.020	.103±.003	66.68	71.44	2.38	66.34±0.51	2.62±0.08
-147	2-11/16	2-7/8	3/32	2.69	2.88	0.09	2.675±.022	.103±.003	68.26	73.03	2.38	67.95±0.56	2.62±0.08
-148	2-3/4	2-15/16	3/32	2.75	2.94	0.09	2.737±.022	.103±.003	69.85	74.61	2.38	69.52±0.56	2.62±0.08
-149	2-13/16	3	3/32	2.81	3.00	0.09	2.800±.022	.103±.003	71.44	76.20	2.38	71.12±0.56	2.62±0.08
-150	2-7/8	3-1/16	3/32	2.88	3.06	0.09	2.862±.022	.103±.003	73.03	77.79	2.38	72.69±0.56	2.62±0.08
-151	3	3-3/16	3/32	3.00	3.19	0.09	2.987±.024	.103±.003	76.20	80.96	2.38	75.87±0.61	2.62±0.08
-152	3-1/4	3-7/16	3/32	3.25	3.44	0.09	3.237±.024	.103±.003	82.55	87.31	2.38	82.22±0.61	2.62±0.08
-153	3-1/2	3-11/16	3/32	3.50	3.69	0.09	3.487±.024	.103±.003	88.90	93.66	2.38	88.57±0.61	2.62±0.08
-154	3-3/4	3-15/16	3/32	3.75	3.94	0.09	3.737±.028	.103±.003	95.25	100.01	2.38	94.92±0.71	2.62±0.08
-155	4	4-3/16	3/32	4.00	4.19	0.09	3.987±.028	.103±.003	101.60	106.36	2.38	101.27±0.71	2.62±0.08
-156	4-1/4	4-7/16	3/32	4.25	4.44	0.09	4.237±.030	.103±.003	107.95	112.71	2.38	107.62±0.76	2.62±0.08
-157	4-1/2	4-11/16	3/32	4.50	4.69	0.09	4.487±.030	.103±.003	114.30	119.06	2.38	113.97±0.76	2.62±0.08
-158	4-3/4	4-15/16	3/32	4.75	4.94	0.09	4.737±.030	.103±.003	120.65	125.41	2.38	120.32±0.76	2.62±0.08
-159	5	5-3/16	3/32	5.00	5.19	0.09	4.987±.035	.103±.003	127.00	131.76	2.38	126.67±0.89	2.62±0.08
-160	5-1/4	5-7/16	3/32	5.25	5.44	0.09	5.237±.035	.103±.003	133.35	138.11	2.38	133.02±0.89	2.62±0.08
-161	5-1/2	5-11/16	3/32	5.50	5.69	0.09	5.487±.035	.103±.003	139.70	144.46	2.38	139.37±0.89	2.62±0.08
-162	5-3/4	5-15/16	3/32	5.75	5.94	0.09	5.737±.035	.103±.003	146.05	150.81	2.38	145.72±0.89	2.62±0.08
-163	6	6-3/16	3/32	6.00	6.19	0.09	5.987±.035	.103±.003	152.40	157.16	2.38	152.07±0.89	2.62±0.08
-164	6-1/4	6-7/16	3/32	6.25	6.44	0.09	6.237±.040	.103±.003	158.75	163.51	2.38	158.42±1.02	2.62±0.08
-165	6-1/2	6-11/16	3/32	6.50	6.69	0.09	6.487±.040	.103±.003	165.10	169.86	2.38	164.77±1.02	2.62±0.08
-166	6-3/4	6-15/16	3/32	6.75	6.94	0.09	6.737±.040	.103±.003	171.45	176.21	2.38	171.12±1.02	2.62±0.08
-167	7	7-3/16	3/32	7.00	7.19	0.09	6.987±.040	.103±.003	177.80	182.56	2.38	177.47±1.02	2.62±0.08
-168	7-1/4	7-7/16	3/32	7.25	7.44	0.09	7.237±.045	.103±.003	184.15	188.91	2.38	183.82±1.14	2.62±0.08
-169	7-1/2	7-11/16	3/32	7.50	7.69	0.09	7.487±.045	.103±.003	190.50	195.26	2.38	190.17±1.14	2.62±0.08
-170	7-3/4	7-15/16	3/32	7.75	7.94	0.09	7.737±.045	.103±.003	196.85	201.61	2.38	196.52±1.14	2.62±0.08
-171	8	8-3/16	3/32	8.00	8.19	0.09	7.987±.045	.103±.003	203.20	207.96	2.38	202.87±1.14	2.62±0.08



Available in pdf format at www.AllstateGasket.com DISTRIBUTE FREELY!

Always perform your own tests to obtain safety and performance data. While every effort has been made to assure accuracy, Allstate Gasket assumes no responsibility for errors or omissions.



Inside Diameter (ID)



Outside Diameter (OD)



Width



FRACTIONAL and DECIMAL INCH and MILLIMETER O-RING LOOKUP by AS568 DASH NUMBERS

AS568 Dash No.	INCHES / Fractions			INCHES / Decimal			Actual ID (in)	Actual Width (in)	Millimeters (mm)			Actual ID (mm)	Actual Width (mm)
	Inch ID	Inch OD	Width	Inch ID	Inch OD	Width			mm ID	mm OD	Width		
-172	8-1/4	8-7/16	3/32	8.25	8.44	0.09	8.237±.050	.103±.003	209.55	214.31	2.38	209.22±1.27	2.62±0.08
-173	8-1/2	8-11/16	3/32	8.50	8.69	0.09	8.487±.050	.103±.003	215.90	220.66	2.38	215.57±1.27	2.62±0.08
-174	8-3/4	8-15/16	3/32	8.75	8.94	0.09	8.737±.050	.103±.003	222.25	227.01	2.38	221.92±1.27	2.62±0.08
-175	9	9-3/16	3/32	9.00	9.19	0.09	8.987±.050	.103±.003	228.60	233.36	2.38	228.27±1.27	2.62±0.08
-176	9-1/4	9-7/16	3/32	9.25	9.44	0.09	9.237±.055	.103±.003	234.95	239.71	2.38	234.62±1.40	2.62±0.08
-177	9-1/2	9-11/16	3/32	9.50	9.69	0.09	9.487±.055	.103±.003	241.30	246.06	2.38	240.97±1.40	2.62±0.08
-178	9-3/4	9-15/16	3/32	9.75	9.94	0.09	9.737±.055	.103±.003	247.65	252.41	2.38	247.32±1.40	2.62±0.08
-201	3/16	7/16	1/8	0.19	0.44	0.13	.171±.005	.139±.004	4.76	11.11	3.18	4.34±0.13	3.53±0.10
-202	1/4	1/2	1/8	0.25	0.50	0.13	.234±.005	.139±.004	6.35	12.70	3.18	5.94±0.13	3.53±0.10
-203	5/16	9/16	1/8	0.31	0.56	0.13	.296±.005	.139±.004	7.94	14.29	3.18	7.52±0.13	3.53±0.10
-204	3/8	5/8	1/8	0.38	0.63	0.13	.359±.005	.139±.004	9.53	15.88	3.18	9.12±0.13	3.53±0.10
-205	7/16	11/16	1/8	0.44	0.69	0.13	.421±.005	.139±.004	11.11	17.46	3.18	10.69±0.13	3.53±0.10
-206	1/2	3/4	1/8	0.50	0.75	0.13	.484±.005	.139±.004	12.70	19.05	3.18	12.29±0.13	3.53±0.10
-207	9/16	13/16	1/8	0.56	0.81	0.13	.546±.007	.139±.004	14.29	20.64	3.18	13.87±0.18	3.53±0.10
-208	5/8	7/8	1/8	0.63	0.88	0.13	.609±.009	.139±.004	15.88	22.23	3.18	15.47±0.23	3.53±0.10
-209	11/16	15/16	1/8	0.69	0.94	0.13	.671±.009	.139±.004	17.46	23.81	3.18	17.04±0.23	3.53±0.10
-210	3/4	1	1/8	0.75	1.00	0.13	.734±.010	.139±.004	19.05	25.40	3.18	18.64±0.25	3.53±0.10
-211	13/16	1-1/16	1/8	0.81	1.06	0.13	.796±.010	.139±.004	20.64	26.99	3.18	20.22±0.25	3.53±0.10
-212	7/8	1-1/8	1/8	0.88	1.13	0.13	.859±.010	.139±.004	22.23	28.58	3.18	21.82±0.25	3.53±0.10
-213	15/16	1-3/16	1/8	0.94	1.19	0.13	.921±.010	.139±.004	23.81	30.16	3.18	23.39±0.25	3.53±0.10
-214	1	1-1/4	1/8	1.00	1.25	0.13	.984±.010	.139±.004	25.40	31.75	3.18	24.99±0.25	3.53±0.10
-215	1-1/16	1-5/16	1/8	1.06	1.31	0.13	1.046±.010	.139±.004	26.99	33.34	3.18	26.57±0.25	3.53±0.10
-216	1-1/8	1-3/8	1/8	1.13	1.38	0.13	1.109±.012	.139±.004	28.58	34.93	3.18	28.17±0.30	3.53±0.10
-217	1-3/16	1-7/16	1/8	1.19	1.44	0.13	1.171±.012	.139±.004	30.16	36.51	3.18	29.74±0.30	3.53±0.10
-218	1-1/4	1-1/2	1/8	1.25	1.50	0.13	1.234±.012	.139±.004	31.75	38.10	3.18	31.34±0.30	3.53±0.10
-219	1-5/16	1-9/16	1/8	1.31	1.56	0.13	1.296±.012	.139±.004	33.34	39.69	3.18	32.92±0.30	3.53±0.10
-220	1-3/8	1-5/8	1/8	1.38	1.63	0.13	1.359±.012	.139±.004	34.93	41.28	3.18	34.52±0.30	3.53±0.10
-221	1-7/16	1-11/16	1/8	1.44	1.69	0.13	1.421±.012	.139±.004	36.51	42.86	3.18	36.09±0.30	3.53±0.10
-222	1-1/2	1-3/4	1/8	1.50	1.75	0.13	1.484±.015	.139±.004	38.10	44.45	3.18	37.69±0.38	3.53±0.10
-223	1-5/8	1-7/8	1/8	1.63	1.88	0.13	1.609±.015	.139±.004	41.28	47.63	3.18	40.87±0.38	3.53±0.10

Available in pdf format at www.AllstateGasket.com DISTRIBUTE FREELY!

Page 5 of 12

Always perform your own tests to obtain safety and performance data. While every effort has been made to assure accuracy, Allstate Gasket assumes no responsibility for errors or omissions.



Inside Diameter (ID)



Outside Diameter (OD)



Width



FRACTIONAL and DECIMAL INCH and MILLIMETER O-RING LOOKUP by AS568 DASH NUMBERS

AS568 Dash No.	INCHES / Fractions			INCHES / Decimal			Actual ID (in)	Actual Width (in)	Millimeters (mm)			Actual ID (mm)	Actual Width (mm)
	Inch ID	Inch OD	Width	Inch ID	Inch OD	Width			mm ID	mm OD	Width		
-224	1-3/4	2	1/8	1.75	2.00	0.13	1.734±.015	.139±.004	44.45	50.80	3.18	44.04±0.38	3.53±0.10
-225	1-7/8	2-1/8	1/8	1.88	2.13	0.13	1.859±.018	.139±.004	47.63	53.98	3.18	47.22±0.46	3.53±0.10
-226	2	2-1/4	1/8	2.00	2.25	0.13	1.984±.018	.139±.004	50.80	57.15	3.18	50.39±0.46	3.53±0.10
-227	2-1/8	2-3/8	1/8	2.13	2.38	0.13	2.109±.018	.139±.004	53.98	60.33	3.18	53.57±0.46	3.53±0.10
-228	2-1/4	2-1/2	1/8	2.25	2.50	0.13	2.234±.020	.139±.004	57.15	63.50	3.18	56.74±0.51	3.53±0.10
-229	2-3/8	2-5/8	1/8	2.38	2.63	0.13	2.359±.020	.139±.004	60.33	66.68	3.18	59.92±0.51	3.53±0.10
-230	2-1/2	2-3/4	1/8	2.50	2.75	0.13	2.484±.020	.139±.004	63.50	69.85	3.18	63.09±0.51	3.53±0.10
-231	2-5/8	2-7/8	1/8	2.63	2.88	0.13	2.609±.020	.139±.004	66.68	73.03	3.18	66.27±0.51	3.53±0.10
-232	2-3/4	3	1/8	2.75	3.00	0.13	2.734±.024	.139±.004	69.85	76.20	3.18	69.44±0.61	3.53±0.10
-233	2-7/8	3-1/8	1/8	2.88	3.13	0.13	2.859±.024	.139±.004	73.03	79.38	3.18	72.62±0.61	3.53±0.10
-234	3	3-1/4	1/8	3.00	3.25	0.13	2.984±.024	.139±.004	76.20	82.55	3.18	75.79±0.61	3.53±0.10
-235	3-1/8	3-3/8	1/8	3.13	3.38	0.13	3.109±.024	.139±.004	79.38	85.73	3.18	78.97±0.61	3.53±0.10
-236	3-1/4	3-1/2	1/8	3.25	3.50	0.13	3.234±.024	.139±.004	82.55	88.90	3.18	82.14±0.61	3.53±0.10
-237	3-3/8	3-5/8	1/8	3.38	3.63	0.13	3.359±.024	.139±.004	85.73	92.08	3.18	85.32±0.61	3.53±0.10
-238	3-1/2	3-3/4	1/8	3.50	3.75	0.13	3.484±.024	.139±.004	88.90	95.25	3.18	88.49±0.61	3.53±0.10
-239	3-5/8	3-7/8	1/8	3.63	3.88	0.13	3.609±.028	.139±.004	92.08	98.43	3.18	91.67±0.71	3.53±0.10
-240	3-3/4	4	1/8	3.75	4.00	0.13	3.734±.028	.139±.004	95.25	101.60	3.18	94.84±0.71	3.53±0.10
-241	3-7/8	4-1/8	1/8	3.88	4.13	0.13	3.859±.028	.139±.004	98.43	104.78	3.18	98.02±0.71	3.53±0.10
-242	4	4-1/4	1/8	4.00	4.25	0.13	3.984±.028	.139±.004	101.60	107.95	3.18	101.19±0.71	3.53±0.10
-243	4-1/8	4-3/8	1/8	4.13	4.38	0.13	4.109±.028	.139±.004	104.78	111.13	3.18	104.37±0.71	3.53±0.10
-244	4-1/4	4-1/2	1/8	4.25	4.50	0.13	4.234±.030	.139±.004	107.95	114.30	3.18	107.54±0.76	3.53±0.10
-245	4-3/8	4-5/8	1/8	4.38	4.63	0.13	4.359±.030	.139±.004	111.13	117.48	3.18	110.72±0.76	3.53±0.10
-246	4-1/2	4-3/4	1/8	4.50	4.75	0.13	4.484±.030	.139±.004	114.30	120.65	3.18	113.89±0.76	3.53±0.10
-247	4-5/8	4-7/8	1/8	4.63	4.88	0.13	4.609±.030	.139±.004	117.48	123.83	3.18	117.07±0.76	3.53±0.10
-248	4-3/4	5	1/8	4.75	5.00	0.13	4.734±.030	.139±.004	120.65	127.00	3.18	120.24±0.76	3.53±0.10
-249	4-7/8	5-1/8	1/8	4.88	5.13	0.13	4.859±.035	.139±.004	123.83	130.18	3.18	123.42±0.89	3.53±0.10
-250	5	5-1/4	1/8	5.00	5.25	0.13	4.984±.035	.139±.004	127.00	133.35	3.18	126.59±0.89	3.53±0.10
-251	5-1/8	5-3/8	1/8	5.13	5.38	0.13	5.109±.035	.139±.004	130.18	136.53	3.18	129.77±0.89	3.53±0.10
-252	5-1/4	5-1/2	1/8	5.25	5.50	0.13	5.234±.035	.139±.004	133.35	139.70	3.18	132.94±0.89	3.53±0.10
-253	5-3/8	5-5/8	1/8	5.38	5.63	0.13	5.359±.035	.139±.004	136.53	142.88	3.18	136.12±0.89	3.53±0.10

Available in pdf format at www.AllstateGasket.com DISTRIBUTE FREELY!

Page 6 of 12

Always perform your own tests to obtain safety and performance data. While every effort has been made to assure accuracy, Allstate Gasket assumes no responsibility for errors or omissions.



Inside Diameter (ID)



Outside Diameter (OD)



Width



FRACTIONAL and DECIMAL INCH and MILLIMETER O-RING LOOKUP by AS568 DASH NUMBERS

AS568 Dash No.	INCHES / Fractions			INCHES / Decimal			Actual ID (in)	Actual Width (in)	Millimeters (mm)			Actual ID (mm)	Actual Width (mm)
	Inch ID	Inch OD	Width	Inch ID	Inch OD	Width			mm ID	mm OD	Width		
-254	5-1/2	5-3/4	1/8	5.50	5.75	0.13	5.484±.035	.139±.004	139.70	146.05	3.18	139.29±0.89	3.53±0.10
-255	5-5/8	5-7/8	1/8	5.63	5.88	0.13	5.609±.035	.139±.004	142.88	149.23	3.18	142.47±0.89	3.53±0.10
-256	5-3/4	6	1/8	5.75	6.00	0.13	5.734±.035	.139±.004	146.05	152.40	3.18	145.64±0.89	3.53±0.10
-257	5-7/8	6-1/8	1/8	5.88	6.13	0.13	5.859±.035	.139±.004	149.23	155.58	3.18	148.82±0.89	3.53±0.10
-258	6	6-1/4	1/8	6.00	6.25	0.13	5.984±.035	.139±.004	152.40	158.75	3.18	151.99±0.89	3.53±0.10
-259	6-1/4	6-1/2	1/8	6.25	6.50	0.13	6.234±.040	.139±.004	158.75	165.10	3.18	158.34±1.02	3.53±0.10
-260	6-1/2	6-3/4	1/8	6.50	6.75	0.13	6.484±.040	.139±.004	165.10	171.45	3.18	164.69±1.02	3.53±0.10
-261	6-3/4	7	1/8	6.75	7.00	0.13	6.734±.040	.139±.004	171.45	177.80	3.18	171.04±1.02	3.53±0.10
-262	7	7-1/4	1/8	7.00	7.25	0.13	6.984±.040	.139±.004	177.80	184.15	3.18	177.39±1.02	3.53±0.10
-263	7-1/4	7-1/2	1/8	7.25	7.50	0.13	7.234±.045	.139±.004	184.15	190.50	3.18	183.74±1.14	3.53±0.10
-264	7-1/2	7-3/4	1/8	7.50	7.75	0.13	7.484±.045	.139±.004	190.50	196.85	3.18	190.09±1.14	3.53±0.10
-265	7-3/4	8	1/8	7.75	8.00	0.13	7.734±.045	.139±.004	196.85	203.20	3.18	196.44±1.14	3.53±0.10
-266	8	8-1/4	1/8	8.00	8.25	0.13	7.984±.045	.139±.004	203.20	209.55	3.18	202.79±1.14	3.53±0.10
-267	8-1/4	8-1/2	1/8	8.25	8.50	0.13	8.234±.050	.139±.004	209.55	215.90	3.18	209.14±1.27	3.53±0.10
-268	8-1/2	8-3/4	1/8	8.50	8.75	0.13	8.484±.050	.139±.004	215.90	222.25	3.18	215.49±1.27	3.53±0.10
-269	8-3/4	9	1/8	8.75	9.00	0.13	8.734±.050	.139±.004	222.25	228.60	3.18	221.84±1.27	3.53±0.10
-270	9	9-1/4	1/8	9.00	9.25	0.13	8.984±.050	.139±.004	228.60	234.95	3.18	228.19±1.27	3.53±0.10
-271	9-1/4	9-1/2	1/8	9.25	9.50	0.13	9.234±.055	.139±.004	234.95	241.30	3.18	234.54±1.40	3.53±0.10
-272	9-1/2	9-3/4	1/8	9.50	9.75	0.13	9.484±.055	.139±.004	241.30	247.65	3.18	240.89±1.40	3.53±0.10
-273	9-3/4	10	1/8	9.75	10.00	0.13	9.734±.055	.139±.004	247.65	254.00	3.18	247.24±1.40	3.53±0.10
-274	10	10-1/4	1/8	10.00	10.25	0.13	9.984±.055	.139±.004	254.00	260.35	3.18	253.59±1.40	3.53±0.10
-275	10-1/2	10-3/4	1/8	10.50	10.75	0.13	10.484±.055	.139±.004	266.70	273.05	3.18	266.29±1.40	3.53±0.10
-276	11	11-1/4	1/8	11.00	11.25	0.13	10.984±.065	.139±.004	279.40	285.75	3.18	278.99±1.65	3.53±0.10
-277	11-1/2	11-3/4	1/8	11.50	11.75	0.13	11.484±.065	.139±.004	292.10	298.45	3.18	291.69±1.65	3.53±0.10
-278	12	12-1/4	1/8	12.00	12.25	0.13	11.984±.065	.139±.004	304.80	311.15	3.18	304.39±1.65	3.53±0.10
-279	13	13-1/4	1/8	13.00	13.25	0.13	12.984±.065	.139±.004	330.20	336.55	3.18	329.79±1.65	3.53±0.10
-280	14	14-1/4	1/8	14.00	14.25	0.13	13.984±.065	.139±.004	355.60	361.95	3.18	355.19±1.65	3.53±0.10
-281	15	15-1/4	1/8	15.00	15.25	0.13	14.984±.065	.139±.004	381.00	387.35	3.18	380.59±1.65	3.53±0.10
-282	16	16-1/4	1/8	16.00	16.25	0.13	15.955±.075	.139±.004	406.40	412.75	3.18	405.26±1.91	3.53±0.10
-283	17	17-1/4	1/8	17.00	17.25	0.13	16.955±.080	.139±.004	431.80	438.15	3.18	430.66±2.03	3.53±0.10

Available in pdf format at www.AllstateGasket.com DISTRIBUTE FREELY!

Page 7 of 12

Always perform your own tests to obtain safety and performance data. While every effort has been made to assure accuracy, Allstate Gasket assumes no responsibility for errors or omissions.



Inside Diameter (ID)



Outside Diameter (OD)



Width



FRACTIONAL and DECIMAL INCH and MILLIMETER O-RING LOOKUP by AS568 DASH NUMBERS

AS568 Dash No.	INCHES / Fractions			INCHES / Decimal			Actual ID (in)	Actual Width (in)	Millimeters (mm)			Actual ID (mm)	Actual Width (mm)
	Inch ID	Inch OD	Width	Inch ID	Inch OD	Width			mm ID	mm OD	Width		
-284	18	18-1/4	1/8	18.00	18.25	0.13	17.955±.085	.139±.004	457.20	463.55	3.18	456.06±2.16	3.53±0.10
-309	7/16	13/16	3/16	0.44	0.81	0.19	.412±.005	.210±.005	11.11	20.64	4.76	10.46±0.13	5.33±0.13
-310	1/2	7/8	3/16	0.50	0.88	0.19	.475±.005	.210±.005	12.70	22.23	4.76	12.07±0.13	5.33±0.13
-311	9/16	15-16	3/16	0.56	31.00	0.19	.537±.007	.210±.005	14.29	787.40	4.76	13.64±0.18	5.33±0.13
-312	5/8	1	3/16	0.63	1.00	0.19	.600±.009	.210±.005	15.88	25.40	4.76	15.24±0.23	5.33±0.13
-313	11/16	1-1/16	3/16	0.69	1.06	0.19	.662±.009	.210±.005	17.46	26.99	4.76	16.81±0.23	5.33±0.13
-314	3/4	1-1/8	3/16	0.75	1.13	0.19	.725±.010	.210±.005	19.05	28.58	4.76	18.42±0.25	5.33±0.13
-315	13/16	1-3/16	3/16	0.81	1.19	0.19	.787±.010	.210±.005	20.64	30.16	4.76	19.99±0.25	5.33±0.13
-316	7/8	1-1/4	3/16	0.88	1.25	0.19	.850±.010	.210±.005	22.23	31.75	4.76	21.59±0.25	5.33±0.13
-317	15/16	1-5/16	3/16	0.94	1.31	0.19	.912±.010	.210±.005	23.81	33.34	4.76	23.16±0.25	5.33±0.13
-318	1	1-3/8	3/16	1.00	1.38	0.19	.975±.010	.210±.005	25.40	34.93	4.76	24.77±0.25	5.33±0.13
-319	1-1/16	1-7/16	3/16	1.06	1.44	0.19	1.037±.010	.210±.005	26.99	36.51	4.76	26.34±0.25	5.33±0.13
-320	1-1/8	1-1/2	3/16	1.13	1.50	0.19	1.100±.012	.210±.005	28.58	38.10	4.76	27.94±0.30	5.33±0.13
-321	1-3/16	1-9/16	3/16	1.19	1.56	0.19	1.162±.012	.210±.005	30.16	39.69	4.76	29.51±0.30	5.33±0.13
-322	1-1/4	1-5/8	3/16	1.25	1.63	0.19	1.225±.012	.210±.005	31.75	41.28	4.76	31.12±0.30	5.33±0.13
-323	1-5/16	1-11/16	3/16	1.31	1.69	0.19	1.287±.012	.210±.005	33.34	42.86	4.76	32.69±0.30	5.33±0.13
-324	1-3/8	1-3/4	3/16	1.38	1.75	0.19	1.350±.012	.210±.005	34.93	44.45	4.76	34.29±0.30	5.33±0.13
-325	1-1/2	1-7/8	3/16	1.50	1.88	0.19	1.475±.015	.210±.005	38.10	47.63	4.76	37.47±0.38	5.33±0.13
-326	1-5/8	2	3/16	1.63	2.00	0.19	1.600±.015	.210±.005	41.28	50.80	4.76	40.64±0.38	5.33±0.13
-327	1-3/4	2-1/8	3/16	1.75	2.13	0.19	1.725±.015	.210±.005	44.45	53.98	4.76	43.82±0.38	5.33±0.13
-328	1-7/8	2-1/4	3/16	1.88	2.25	0.19	1.850±.015	.210±.005	47.63	57.15	4.76	46.99±0.38	5.33±0.13
-329	2	2-3/8	3/16	2.00	2.38	0.19	1.975±.018	.210±.005	50.80	60.33	4.76	50.17±0.46	5.33±0.13
-330	2-1/8	2-1/2	3/16	2.13	2.50	0.19	2.100±.018	.210±.005	53.98	63.50	4.76	53.34±0.46	5.33±0.13
-331	2-1/4	2-5/8	3/16	2.25	2.63	0.19	2.225±.018	.210±.005	57.15	66.68	4.76	56.52±0.46	5.33±0.13
-332	2-3/8	2-3/4	3/16	2.38	2.75	0.19	2.350±.018	.210±.005	60.33	69.85	4.76	59.69±0.46	5.33±0.13
-333	2-1/2	2-7/8	3/16	2.50	2.88	0.19	2.475±.020	.210±.005	63.50	73.03	4.76	62.87±0.51	5.33±0.13
-334	2-5/8	3	3/16	2.63	3.00	0.19	2.600±.020	.210±.005	66.68	76.20	4.76	66.04±0.51	5.33±0.13
-335	2-3/4	3-1/8	3/16	2.75	3.13	0.19	2.725±.020	.210±.005	69.85	79.38	4.76	69.22±0.51	5.33±0.13
-336	2-7/8	3-1/4	3/16	2.88	3.25	0.19	2.850±.020	.210±.005	73.03	82.55	4.76	72.39±0.51	5.33±0.13
-337	3	3-3/8	3/16	3.00	3.38	0.19	2.975±.024	.210±.005	76.20	85.73	4.76	75.57±0.61	5.33±0.13

Available in pdf format at www.AllstateGasket.com DISTRIBUTE FREELY!

Page 8 of 12

Always perform your own tests to obtain safety and performance data. While every effort has been made to assure accuracy, Allstate Gasket assumes no responsibility for errors or omissions.



Inside Diameter (ID)



Outside Diameter (OD)



Width



FRACTIONAL and DECIMAL INCH and MILLIMETER O-RING LOOKUP by AS568 DASH NUMBERS

AS568 Dash No.	INCHES / Fractions			INCHES / Decimal			Actual ID (in)	Actual Width (in)	Millimeters (mm)			Actual ID (mm)	Actual Width (mm)
	Inch ID	Inch OD	Width	Inch ID	Inch OD	Width			mm ID	mm OD	Width		
-338	3-1/8	3-1/2	3/16	3.13	3.50	0.19	3.100±.024	.210±.005	79.38	88.90	4.76	78.74±0.61	5.33±0.13
-339	3-1/4	3-5/8	3/16	3.25	3.63	0.19	3.225±.024	.210±.005	82.55	92.08	4.76	81.92±0.61	5.33±0.13
-340	3-3/8	3-3/4	3/16	3.38	3.75	0.19	3.350±.024	.210±.005	85.73	95.25	4.76	85.09±0.61	5.33±0.13
-341	3-1/2	3-7/8	3/16	3.50	3.88	0.19	3.475±.024	.210±.005	88.90	98.43	4.76	88.27±0.61	5.33±0.13
-342	3-5/8	4	3/16	3.63	4.00	0.19	3.600±.028	.210±.005	92.08	101.60	4.76	91.44±0.71	5.33±0.13
-343	3-3/4	4-1/8	3/16	3.75	4.13	0.19	3.725±.028	.210±.005	95.25	104.78	4.76	94.62±0.71	5.33±0.13
-344	3-7/8	4-1/4	3/16	3.88	4.25	0.19	3.850±.028	.210±.005	98.43	107.95	4.76	97.79±0.71	5.33±0.13
-345	4	4-3/8	3/16	4.00	4.38	0.19	3.975±.028	.210±.005	101.60	111.13	4.76	100.97±0.71	5.33±0.13
-346	4-1/8	4-1/2	3/16	4.13	4.50	0.19	4.100±.028	.210±.005	104.78	114.30	4.76	104.14±0.71	5.33±0.13
-347	4-1/4	4-5/8	3/16	4.25	4.63	0.19	4.225±.030	.210±.005	107.95	117.48	4.76	107.32±0.76	5.33±0.13
-348	4-3/8	4-3/4	3/16	4.38	4.75	0.19	4.350±.030	.210±.005	111.13	120.65	4.76	110.49±0.76	5.33±0.13
-349	4-1/2	4-7/8	3/16	4.50	4.88	0.19	4.475±.030	.210±.005	114.30	123.83	4.76	113.67±0.76	5.33±0.13
-350	4-5/8	5	3/16	4.63	5.00	0.19	4.600±.030	.210±.005	117.48	127.00	4.76	116.84±0.76	5.33±0.13
-351	4-3/4	5-1/8	3/16	4.75	5.13	0.19	4.725±.030	.210±.005	120.65	130.18	4.76	120.02±0.76	5.33±0.13
-352	4-7/8	5-1/4	3/16	4.88	5.25	0.19	4.850±.030	.210±.005	123.83	133.35	4.76	123.19±0.76	5.33±0.13
-353	5	5-3/8	3/16	5.00	5.38	0.19	4.975±.037	.210±.005	127.00	136.53	4.76	126.37±0.94	5.33±0.13
-354	5-1/8	5-1/2	3/16	5.13	5.50	0.19	5.100±.037	.210±.005	130.18	139.70	4.76	129.54±0.94	5.33±0.13
-355	5-1/4	5-5/8	3/16	5.25	5.63	0.19	5.225±.037	.210±.005	133.35	142.88	4.76	132.72±0.94	5.33±0.13
-356	5-3/8	5-3/4	3/16	5.38	5.75	0.19	5.350±.037	.210±.005	136.53	146.05	4.76	135.89±0.94	5.33±0.13
-357	5-1/2	5-7/8	3/16	5.50	5.88	0.19	5.475±.037	.210±.005	139.70	149.23	4.76	139.07±0.94	5.33±0.13
-358	5-5/8	6	3/16	5.63	6.00	0.19	5.600±.037	.210±.005	142.88	152.40	4.76	142.24±0.94	5.33±0.13
-359	5-3/4	6-1/8	3/16	5.75	6.13	0.19	5.725±.037	.210±.005	146.05	155.58	4.76	145.42±0.94	5.33±0.13
-360	5-7/8	6-1/4	3/16	5.88	6.25	0.19	5.850±.037	.210±.005	149.23	158.75	4.76	148.59±0.94	5.33±0.13
-361	6	6-3/8	3/16	6.00	6.38	0.19	5.975±.037	.210±.005	152.40	161.93	4.76	151.77±0.94	5.33±0.13
-362	6-1/4	6-5/8	3/16	6.25	6.63	0.19	6.225±.040	.210±.005	158.75	168.28	4.76	158.12±1.02	5.33±0.13
-363	6-1/2	6-7/8	3/16	6.50	6.88	0.19	6.475±.040	.210±.005	165.10	174.63	4.76	164.47±1.02	5.33±0.13
-364	6-3/4	7-1/8	3/16	6.75	7.13	0.19	6.725±.040	.210±.005	171.45	180.98	4.76	170.82±1.02	5.33±0.13
-365	7	7-3/8	3/16	7.00	7.38	0.19	6.975±.040	.210±.005	177.80	187.33	4.76	177.17±1.02	5.33±0.13
-366	7-1/4	7-5/8	3/16	7.25	7.63	0.19	7.225±.045	.210±.005	184.15	193.68	4.76	183.52±1.14	5.33±0.13
-367	7-1/2	7-7/8	3/16	7.50	7.88	0.19	7.475±.045	.210±.005	190.50	200.03	4.76	189.87±1.14	5.33±0.13

Available in pdf format at www.AllstateGasket.com DISTRIBUTE FREELY!

Page 9 of 12

Always perform your own tests to obtain safety and performance data. While every effort has been made to assure accuracy, Allstate Gasket assumes no responsibility for errors or omissions.



Inside Diameter (ID)



Outside Diameter (OD)



Width



FRACTIONAL and DECIMAL INCH and MILLIMETER O-RING LOOKUP by AS568 DASH NUMBERS

AS568 Dash No.	INCHES / Fractions			INCHES / Decimal			Actual ID (in)	Actual Width (in)	Millimeters (mm)			Actual ID (mm)	Actual Width (mm)
	Inch ID	Inch OD	Width	Inch ID	Inch OD	Width			mm ID	mm OD	Width		
-368	7-3/4	8-1/8	3/16	7.75	8.13	0.19	7.725±.045	.210±.005	196.85	206.38	4.76	196.22±1.14	5.33±0.13
-369	8	8-3/8	3/16	8.00	8.38	0.19	7.975±.045	.210±.005	203.20	212.73	4.76	202.57±1.14	5.33±0.13
-370	8-1/4	8-5/8	3/16	8.25	8.63	0.19	8.225±.050	.210±.005	209.55	219.08	4.76	208.92±1.27	5.33±0.13
-371	8-1/2	8-7/8	3/16	8.50	8.88	0.19	8.475±.050	.210±.005	215.90	225.43	4.76	215.27±1.27	5.33±0.13
-372	8-3/4	9-1/8	3/16	8.75	9.13	0.19	8.725±.050	.210±.005	222.25	231.78	4.76	221.62±1.27	5.33±0.13
-373	9	9-3/8	3/16	9.00	9.38	0.19	8.975±.050	.210±.005	228.60	238.13	4.76	227.97±1.27	5.33±0.13
-374	9-1/4	9-5/8	3/16	9.25	9.63	0.19	9.225±.055	.210±.005	234.95	244.48	4.76	234.32±1.40	5.33±0.13
-375	9-1/2	9-7/8	3/16	9.50	9.88	0.19	9.475±.055	.210±.005	241.30	250.83	4.76	240.67±1.40	5.33±0.13
-376	9-3/4	10-1/8	3/16	9.75	10.13	0.19	9.725±.055	.210±.005	247.65	257.18	4.76	247.02±1.40	5.33±0.13
-377	10	10-3/8	3/16	10.00	10.38	0.19	9.975±.055	.210±.005	254.00	263.53	4.76	253.37±1.40	5.33±0.13
-378	10-1/2	10-7/8	3/16	10.50	10.88	0.19	10.475±.060	.210±.005	266.70	276.23	4.76	266.07±1.52	5.33±0.13
-379	11	11-3/8	3/16	11.00	11.38	0.19	10.975±.060	.210±.005	279.40	288.93	4.76	278.77±1.52	5.33±0.13
-380	11-1/2	11-7/8	3/16	11.50	11.88	0.19	11.475±.065	.210±.005	292.10	301.63	4.76	291.47±1.65	5.33±0.13
-381	12	12-3/8	3/16	12.00	12.38	0.19	11.975±.065	.210±.005	304.80	314.33	4.76	304.17±1.65	5.33±0.13
-382	13	13-3/8	3/16	13.00	13.38	0.19	12.975±.065	.210±.005	330.20	339.73	4.76	329.57±1.65	5.33±0.13
-383	14	14-3/8	3/16	14.00	14.38	0.19	13.975±.070	.210±.005	355.60	365.13	4.76	354.97±1.78	5.33±0.13
-384	15	15-3/8	3/16	15.00	15.38	0.19	14.975±.070	.210±.005	381.00	390.53	4.76	380.37±1.78	5.33±0.13
-385	16	16-3/8	3/16	16.00	16.38	0.19	15.955±.075	.210±.005	406.40	415.93	4.76	405.26±1.91	5.33±0.13
-386	17	17-3/8	3/16	17.00	17.38	0.19	16.955±.080	.210±.005	431.80	441.33	4.76	430.66±2.03	5.33±0.13
-387	18	18-3/8	3/16	18.00	18.38	0.19	17.955±.085	.210±.005	457.20	466.73	4.76	456.06±2.16	5.33±0.13
-388	19	19-3/8	3/16	19.00	19.38	0.19	18.955±.090	.210±.005	482.60	492.13	4.76	481.41±2.29	5.33±0.13
-389	20	20-3/8	3/16	20.00	20.38	0.19	19.955±.095	.210±.005	508.00	517.53	4.76	506.81±2.41	5.33±0.13
-390	21	21-3/8	3/16	21.00	21.38	0.19	20.955±.095	.210±.005	533.40	542.93	4.76	532.21±2.41	5.33±0.13
-391	22	22-3/8	3/16	22.00	22.38	0.19	21.955±.100	.210±.005	558.80	568.33	4.76	557.61±2.54	5.33±0.13
-392	23	23-3/8	3/16	23.00	23.38	0.19	22.940±.105	.210±.005	584.20	593.73	4.76	582.68±2.67	5.33±0.13
-393	24	24-3/8	3/16	24.00	24.38	0.19	23.940±.110	.210±.005	609.60	619.13	4.76	608.08±2.79	5.33±0.13
-394	25	25-3/8	3/16	25.00	25.38	0.19	24.940±.115	.210±.005	635.00	644.53	4.76	633.48±2.92	5.33±0.13
-395	26	26-3/8	3/16	26.00	26.38	0.19	25.940±.120	.210±.005	660.40	669.93	4.76	658.88±3.05	5.33±0.13
-425	4-1/2	5	1/4	4.50	5.00	0.25	4.475±.033	.275±.006	114.30	127.00	6.35	113.67±0.84	6.99±0.15
-426	4-5/8	5-1/8	1/4	4.63	5.13	0.25	4.600±.033	.275±.006	117.48	130.18	6.35	116.84±0.84	6.99±0.15

Available in pdf format at www.AllstateGasket.com DISTRIBUTE FREELY!

Page 10 of 12

Always perform your own tests to obtain safety and performance data. While every effort has been made to assure accuracy, Allstate Gasket assumes no responsibility for errors or omissions.



Inside Diameter (ID)



Outside Diameter (OD)



Width



FRACTIONAL and DECIMAL INCH and MILLIMETER O-RING LOOKUP by AS568 DASH NUMBERS

AS568 Dash No.	INCHES / Fractions			INCHES / Decimal			Actual ID (in)	Actual Width (in)	Millimeters (mm)			Actual ID (mm)	Actual Width (mm)
	Inch ID	Inch OD	Width	Inch ID	Inch OD	Width			mm ID	mm OD	Width		
-427	4-3/4	5-1/4	1/4	4.75	5.25	0.25	4.725±.033	.275±.006	120.65	133.35	6.35	120.02±0.84	6.99±0.15
-428	4-7/8	5-3/8	1/4	4.88	5.38	0.25	4.850±.033	.275±.006	123.83	136.53	6.35	123.19±0.84	6.99±0.15
-429	5	5-1/2	1/4	5.00	5.50	0.25	4.975±.037	.275±.006	127.00	139.70	6.35	126.37±0.94	6.99±0.15
-430	5-1/8	5-5/8	1/4	5.13	5.63	0.25	5.100±.037	.275±.006	130.18	142.88	6.35	129.54±0.94	6.99±0.15
-431	5-1/4	5-3/4	1/4	5.25	5.75	0.25	5.225±.037	.275±.006	133.35	146.05	6.35	132.72±0.94	6.99±0.15
-432	5-3/8	5-7/8	1/4	5.38	5.88	0.25	5.350±.037	.275±.006	136.53	149.23	6.35	135.89±0.94	6.99±0.15
-433	5-1/2	6	1/4	5.50	6.00	0.25	5.475±.037	.275±.006	139.70	152.40	6.35	139.07±0.94	6.99±0.15
-434	5-5/8	6-1/8	1/4	5.63	6.13	0.25	5.600±.037	.275±.006	142.88	155.58	6.35	142.24±0.94	6.99±0.15
-435	5-3/4	6-1/4	1/4	5.75	6.25	0.25	5.725±.037	.275±.006	146.05	158.75	6.35	145.42±0.94	6.99±0.15
-436	5-7/8	6-3/8	1/4	5.88	6.38	0.25	5.850±.037	.275±.006	149.23	161.93	6.35	148.59±0.94	6.99±0.15
-437	6	6-1/2	1/4	6.00	6.50	0.25	5.975±.037	.275±.006	152.40	165.10	6.35	151.77±0.94	6.99±0.15
-438	6-1/4	6-3/4	1/4	6.25	6.75	0.25	6.225±.040	.275±.006	158.75	171.45	6.35	158.12±1.02	6.99±0.15
-439	6-1/2	7	1/4	6.50	7.00	0.25	6.475±.040	.275±.006	165.10	177.80	6.35	164.47±1.02	6.99±0.15
-440	6-3/4	7-1/4	1/4	6.75	7.25	0.25	6.725±.040	.275±.006	171.45	184.15	6.35	170.82±1.02	6.99±0.15
-441	7	7-1/2	1/4	7.00	7.50	0.25	6.975±.040	.275±.006	177.80	190.50	6.35	177.17±1.02	6.99±0.15
-442	7-1/4	7-3/4	1/4	7.25	7.75	0.25	7.225±.045	.275±.006	184.15	196.85	6.35	183.52±1.14	6.99±0.15
-443	7-1/2	8	1/4	7.50	8.00	0.25	7.475±.045	.275±.006	190.50	203.20	6.35	189.87±1.14	6.99±0.15
-444	7-3/4	8-1/4	1/4	7.75	8.25	0.25	7.725±.045	.275±.006	196.85	209.55	6.35	196.22±1.14	6.99±0.15
-445	8	8-1/2	1/4	8.00	8.50	0.25	7.975±.045	.275±.006	203.20	215.90	6.35	202.57±1.14	6.99±0.15
-446	8-1/2	9	1/4	8.50	9.00	0.25	8.475±.055	.275±.006	215.90	228.60	6.35	215.27±1.40	6.99±0.15
-447	9	9-1/2	1/4	9.00	9.50	0.25	8.975±.055	.275±.006	228.60	241.30	6.35	227.97±1.40	6.99±0.15
-448	9-1/2	10	1/4	9.50	10.00	0.25	9.475±.055	.275±.006	241.30	254.00	6.35	240.67±1.40	6.99±0.15
-449	10	10-1/2	1/4	10.00	10.50	0.25	9.975±.055	.275±.006	254.00	266.70	6.35	253.37±1.40	6.99±0.15
-450	10-1/2	11	1/4	10.50	11.00	0.25	10.475±.060	.275±.006	266.70	279.40	6.35	266.07±1.52	6.99±0.15
-451	11	11-1/2	1/4	11.00	11.50	0.25	10.975±.060	.275±.006	279.40	292.10	6.35	278.77±1.52	6.99±0.15
-452	11-1/2	12	1/4	11.50	12.00	0.25	11.475±.060	.275±.006	292.10	304.80	6.35	291.47±1.52	6.99±0.15
-453	12	12-1/2	1/4	12.00	12.50	0.25	11.975±.060	.275±.006	304.80	317.50	6.35	304.17±1.52	6.99±0.15
-454	12-1/2	13	1/4	12.50	13.00	0.25	12.475±.060	.275±.006	317.50	330.20	6.35	316.87±1.52	6.99±0.15
-455	13	13-1/2	1/4	13.00	13.50	0.25	12.975±.060	.275±.006	330.20	342.90	6.35	329.57±1.52	6.99±0.15
-456	13-1/2	14	1/4	13.50	14.00	0.25	13.475±.070	.275±.006	342.90	355.60	6.35	342.27±1.78	6.99±0.15

Available in pdf format at www.AllstateGasket.com DISTRIBUTE FREELY!

Page 11 of 12

Always perform your own tests to obtain safety and performance data. While every effort has been made to assure accuracy, Allstate Gasket assumes no responsibility for errors or omissions.



Inside Diameter (ID)



Outside Diameter (OD)



Width



FRACTIONAL and DECIMAL INCH and MILLIMETER O-RING LOOKUP by AS568 DASH NUMBERS

AS568 Dash No.	INCHES / Fractions			INCHES / Decimal			Actual ID (in)	Actual Width (in)	Millimeters (mm)			Actual ID (mm)	Actual Width (mm)
	Inch ID	Inch OD	Width	Inch ID	Inch OD	Width			mm ID	mm OD	Width		
-457	14	14-1/2	1/4	14.00	14.50	0.25	13.975±.070	.275±.006	355.60	368.30	6.35	354.97±1.78	6.99±0.15
-458	14-1/2	15	1/4	14.50	15.00	0.25	14.475±.070	.275±.006	368.30	381.00	6.35	367.67±1.78	6.99±0.15
-459	15	15-1/2	1/4	15.00	15.50	0.25	14.975±.070	.275±.006	381.00	393.70	6.35	380.37±1.78	6.99±0.15
-460	15-1/2	16	1/4	15.50	16.00	0.25	15.475±.070	.275±.006	393.70	406.40	6.35	393.07±1.78	6.99±0.15
-461	16	16-1/2	1/4	16.00	16.50	0.25	15.955±.075	.275±.006	406.40	419.10	6.35	405.26±1.91	6.99±0.15
-462	16-1/2	17	1/4	16.50	17.00	0.25	16.455±.075	.275±.006	419.10	431.80	6.35	417.96±1.91	6.99±0.15
-463	17	17-1/2	1/4	17.00	17.50	0.25	16.955±.080	.275±.006	431.80	444.50	6.35	430.66±2.03	6.99±0.15
-464	17-1/2	18	1/4	17.50	18.00	0.25	17.455±.085	.275±.006	444.50	457.20	6.35	443.36±2.16	6.99±0.15
-465	18	18-1/2	1/4	18.00	18.50	0.25	17.955±.085	.275±.006	457.20	469.90	6.35	456.06±2.16	6.99±0.15
-466	18-1/2	19	1/4	18.50	19.00	0.25	18.455±.085	.275±.006	469.90	482.60	6.35	468.76±2.16	6.99±0.15
-467	19	19-1/2	1/4	19.00	19.50	0.25	18.955±.090	.275±.006	482.60	495.30	6.35	481.46±2.29	6.99±0.15
-468	19-1/2	20	1/4	19.50	20.00	0.25	19.455±.090	.275±.006	495.30	508.00	6.35	494.16±2.29	6.99±0.15
-469	20	20-1/2	1/4	20.00	20.50	0.25	19.955±.095	.275±.006	508.00	520.70	6.35	506.86±2.41	6.99±0.15
-470	21	21-1/2	1/4	21.00	21.50	0.25	20.955±.095	.275±.006	533.40	546.10	6.35	532.26±2.41	6.99±0.15
-471	22	22-1/2	1/4	22.00	22.50	0.25	21.955±.100	.275±.006	558.80	571.50	6.35	557.66±2.54	6.99±0.15
-472	23	23-1/2	1/4	23.00	23.50	0.25	22.940±.105	.275±.006	584.20	596.90	6.35	582.68±2.67	6.99±0.15
-473	24	24-1/2	1/4	24.00	24.50	0.25	23.940±.110	.275±.006	609.60	622.30	6.35	608.08±2.79	6.99±0.15
-474	25	25-1/2	1/4	25.00	25.50	0.25	24.940±.115	.275±.006	635.00	647.70	6.35	633.48±2.92	6.99±0.15
-475	26	26-1/2	1/4	26.00	26.50	0.25	25.940±.120	.275±.006	660.40	673.10	6.35	658.88±3.05	6.99±0.15

Available in pdf format at www.AllstateGasket.com DISTRIBUTE FREELY!

Page 12 of 12

Always perform your own tests to obtain safety and performance data. While every effort has been made to assure accuracy, Allstate Gasket assumes no responsibility for errors or omissions.